

CEILING BAFFLES

# CREST



Crest is a sculptural ceiling baffle system defined by its gentle wave profile. Designed to bring movement and flow into open spaces, Crest softens sound and atmosphere while adding a sense of rhythm to the ceiling landscape. The result is a calm, balanced environment ideal for both focus and collaboration.

For technical support or further advice, contact:  
[hello@lumii.design](mailto:hello@lumii.design) | +44 (0)1273 750 240


**lumii**

**DISCLAIMER**


This guide is provided in good faith to assist in installation. It is not intended as a complete or prescriptive method. Lumii Design accepts no responsibility for results due to variations in site conditions, handling or application. All health and safety standards must be observed.

## COLOURS

12MM Miixfelt™




## SCHEMATIC



ANY LENGTH UP TO 2780MM

- Wave-like profile introduces fluidity and architectural interest
- High acoustic absorption reduces echo and background noise
- Modular system adaptable to different ceiling spans and layouts
- Made from recycled Miixfelt™ PET in 52 UK-stocked colours and 140+ curated tones
- Quick and discreet suspension system for effortless installation



## SPECIFICATIONS



### COMPOSITION

100% PET (75% Post Consumer Recycled Waste, 25% Polyester Felt)  
Chemical Entity: Polyester Fibre from PET (Polyethylene Terephthalate).



### COLOURS

34 UK stocked/ 50 more Colours Available  
Lead times and MOQ's apply  
Light fastness: 6-7 Excellent



### DIMENSIONS

Size mm Weight kg  
1200 - 1216 16kg



### FIRE & HEAT

**Fire retardant:**  
EN 13501-1: 2018 Classification B-s1, d0 P  
Melting Point 250°C Max.  
**Recommended Service Temp:** Up to 80°C



### MIIXFELT™ ACOUSTIC RESULTS

**Aw**  
0.5 (0mm air gap)  
Class D. 0.85 (50mm air gap)  
Class B. 1 (100mm air gap)  
Class A. 1 (200mm air gap)

**AS Coefficient @ 2000 Hz**  
1 (0mm air gap)  
1 (50mm air gap)  
1 (100mm air gap)  
1 (200mm air gap)

**SAA (NRC)**  
0.7 (0mm air gap)  
0.89 (50mm air gap)  
0.94 (100mm air gap)  
0.97 (200mm air gap)

For technical support or further advice, contact:  
[hello@lumii.design](mailto:hello@lumii.design) | +44 (0)1273 750 240

lumii

#### DISCLAIMER

This guide is provided in good faith to assist in installation. It is not intended as a complete or prescriptive method. Lumii Design accepts no responsibility for results due to variations in site conditions, handling or application. All health and safety standards must be observed.

